

# Typesetting Linguistic Documents in L<sup>A</sup>T<sub>E</sub>X

Mircea Saucic and Steve Politzer-Ahles

Department of Linguistics  
University of Kansas

7 October 2010

# What is L<sup>A</sup>T<sub>E</sub>X?

# What is L<sup>A</sup>T<sub>E</sub>X?

- A *typesetting* language

# What is L<sup>A</sup>T<sub>E</sub>X?

- A *typesetting* language
- Content-oriented

# What is L<sup>A</sup>T<sub>E</sub>X?

- A *typesetting* language
- Content-oriented
- Extendable

# What is L<sup>A</sup>T<sub>E</sub>X?

- A *typesetting* language
- Content-oriented
- Extendable
- Provides clear organization within a document

# What is L<sup>A</sup>T<sub>E</sub>X?

- A *typesetting* language
- Content-oriented
- Extendable
- Provides clear organization within a document
- Not WYSIWYG

# Basics

- TeX file:

# Basics

- TeX file:
  - Preamble (header):
    - `\documentclass{}` (usually `article`)
    - Header information (metadata, etc.)
    - Packages

# Basics

- TeX file:
  - Preamble (header):
    - `\documentclass{}` (usually `article`)
    - Header information (metadata, etc.)
    - Packages
  - Document
    - Environments (`\begin{document}`, etc.)
    - Commands (`\emph{}`, etc.)

# Basics

- TeX file:
  - Preamble (header):
    - `\documentclass{}` (usually `article`)
    - Header information (metadata, etc.)
    - Packages
  - Document
    - Environments (`\begin{document}`, etc.)
    - Commands (`\emph{}`, etc.)
- Build to PDF or other document format

# Lists of examples

# Lists of examples

- Use package `gb4e` or `covington`
  - (we'll use `gb4e` for this workshop)

# Lists of examples

- Use package `gb4e` or `covington`
  - (we'll use `gb4e` for this workshop)
- `\begin{exe} ... \end{exe}` creates the example environment

# Lists of examples

- Use package `gb4e` or `covington`
  - (we'll use `gb4e` for this workshop)
- `\begin{exe} ... \end{exe}` creates the example environment
- `\ex{ ... }` creates an example

# Lists of examples

- Use package `gb4e` or `covington`
  - (we'll use `gb4e` for this workshop)
- `\begin{exe} ... \end{exe}` creates the example environment
- `\ex{ ... }` creates an example
- `\ex[*]{ ... }` adds a grammaticality judgment
  - (\* can be replaced with #, ?, %, etc.)

# Lists of examples

- Use package `gb4e` or `covington`
  - (we'll use `gb4e` for this workshop)
- `\begin{exe} ... \end{exe}` creates the example environment
- `\ex{ ... }` creates an example
- `\ex[*]{ ... }` adds a grammaticality judgment
  - (\* can be replaced with #, ?, %, etc.)
- `\begin{xlist}` inside `\ex{}` creates an embedded sub-list

# Interlinear glosses

# Interlinear glosses

- Use package `gb4e` or `covington`
  - (we'll use `gb4e` for this workshop)

# Interlinear glosses

- Use package `gb4e` or `covington`
  - (we'll use `gb4e` for this workshop)
- `\gll` for the sentence and glosses (words separated by spaces)
  - make sure there are the same number of words in each
  - end each line with `\\` (the newline character)

# Interlinear glosses

- Use package `gb4e` or `covington`
  - (we'll use `gb4e` for this workshop)
- `\gll` for the sentence and glosses (words separated by spaces)
  - make sure there are the same number of words in each
  - end each line with `\\` (the newline character)
- `\glt` for the free translation

# IPA

# IPA

- Use the `tipa` package

# IPA

- Use the `tipa` package
- IPA inside the `\textipa{ ... }` command

# IPA

- Use the `tipa` package
- IPA inside the `\textipa{ ... }` command
- See the `tipa` manual for list of IPA codes

# Syntax trees

# Syntax trees

- Use the `qtree` package

# Syntax trees

- Use the `qtree` package
- Create a bracketed sentence
  - Node labels are preceded with a period, e.g. `[.VP V N ]`
  - Create triangles using the command `\qroof{ ... }.XP`

# Syntax trees

- Use the `qtree` package
- Create a bracketed sentence
  - Node labels are preceded with a period, e.g. `[.VP V N ]`
  - Create triangles using the command `\qroof{ ... }.XP`
- Draw arrows using package `tree-dvips`

# Tables

# Tables

- Use the `{tabular}` environment

# Tables

- Use the `{tabular}` environment
- `tabular` formatting is complicated to explain but easy to demonstrate. Check the example!

# Footnotes and references

## Footnotes and references

- Bigger or fancier bibliographies should use the BibTeX utility. We will just do simple ones today
  - (but come ask us if you want to learn BibTeX!)

## Footnotes and references

- Bigger or fancier bibliographies should use the BibTeX utility. We will just do simple ones today
  - (but come ask us if you want to learn BibTeX!)
- The bibliography goes at the end of the document inside a `\begin{thebibliography}` environment

## Footnotes and references

- Bigger or fancier bibliographies should use the BibTeX utility. We will just do simple ones today
  - (but come ask us if you want to learn BibTeX!)
- The bibliography goes at the end of the document inside a `\begin{thebibliography}` environment
- Each reference is listed there inside after the command `\bibitem{key}`
  - (replace “key” with a unique name for that reference, then you can refer to it in the article text)

## Footnotes and references

- Bigger or fancier bibliographies should use the BibTeX utility. We will just do simple ones today
  - (but come ask us if you want to learn BibTeX!)
- The bibliography goes at the end of the document inside a `\begin{thebibliography}` environment
- Each reference is listed there inside after the command `\bibitem{key}`
  - (replace “key” with a unique name for that reference, then you can refer to it in the article text)
- Put parenthetical citations within the text using `\cite{key}`

## Footnotes and references

- Bigger or fancier bibliographies should use the BibTeX utility. We will just do simple ones today
  - (but come ask us if you want to learn BibTeX!)
- The bibliography goes at the end of the document inside a `\begin{thebibliography}` environment
- Each reference is listed there inside after the command `\bibitem{key}`
  - (replace “key” with a unique name for that reference, then you can refer to it in the article text)
- Put parenthetical citations within the text using using `\cite{key}`
- You can make footnotes in the text with the `\footnote{ ... }` command

# Where to find help

## Where to find help

- [latex-project.org](http://latex-project.org) has many free general guides to LaTeX, including *The (Not So) Short Introduction to LaTeX*
  - (this is how I learned LaTeX!)

## Where to find help

- [latex-project.org](http://latex-project.org) has many free general guides to LaTeX, including *The (Not So) Short Introduction to LaTeX*
  - (this is how I learned LaTeX!)
- [CTAN.org](http://CTAN.org) has specific guides for every package

## Where to find help

- [latex-project.org](http://latex-project.org) has many free general guides to LaTeX, including *The (Not So) Short Introduction to LaTeX*
  - (this is how I learned LaTeX!)
- [CTAN.org](http://CTAN.org) has specific guides for every package
- Google ‘‘`latex for linguists`’’ to find many pages with info on how to use LaTeX for linguistic articles

## Where to find help

- latex-project.org has many free general guides to LaTeX, including *The (Not So) Short Introduction to LaTeX*
  - (this is how I learned LaTeX!)
- CTAN.org has specific guides for every package
- Google ‘‘latex for linguists’’ to find many pages with info on how to use LaTeX for linguistic articles
- All the slides and examples from today are available online at <http://people.ku.edu/~sjpa/latex.html>